Receiving Report

- 1.1 dald:

Dat	e: [3/0/9		Batch	No: // /	0156	
Su	pplier: Tu we	Ipl	Dart P		9/36 No	N/A
Packing Slip: Invoice: Receipt:	Yes No Cr	Wa Sh Q0	lease Note Al aybill Attached ipment Comp C6 Inspection ork Order	d: Ye blete: ///	s No	
Discrepancies  Part	Description	Quantity	Quantity Received	Quantity Returned	Quantity Short	Comments
Number	Description	Ordered		1	200	
M707	5+6R1.0	00 49	0	0	48	
		Initial	s of receiver	(if shipment	OK) Leve	12
Production/A Date Received/Co Initial	1-10/19	± ±			Loca	tion
1111100						

# Purchase Order Receipt Listing

Friday, May 10, 2013 8:51:03 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO19756 All Receipt Dates All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

	Book Amt	\$510.00		\$428.40			\$243.00		\$1,071.00	е	\$360.00	768.0000
	MRB Qty/ MRB Reject Qty	0	0	0	0		0	0	0	0	0 0	Juantity:
	Inspected Qty/ Rejected Qty (PO U/M)	0.0000	0.000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	Total Received Quantity:
	Cost Per Unit/ Recv Value	\$2.50	\$510.00	\$2.10	\$428.40		\$2.25	\$243.00	\$5.25	\$1,071.00	\$7.50	E
	Recv Qty (PO U/M)	204.0000		204.0000		The second control of	108.0000		204.0000		48.0000	
	Recv Date/ Recv Emp	5/8/2013 5/10/2013	LAV001	3/7/2013	DESJ02		5/7/2013	DESJ02	5/7/2013	DESJ02	5/10/2013 DESJ02	
	Required Date Required Qty	5/8/2013	200.0000	5/8/2013	200.0000		5/8/2013	100.000	5/8/2013	200.0000	5/8/2013 48.0000	
	PO U/M / Stock U/M	TW Metals	25 £			and management to the table management of management of management of the table table to the table table to the table ta	₩06 f	(ta)	- + - ×		0 +	
	Reference/ Description/ Cert Std	VU-TWM001 TW Metals	058 ALIMATURE 3125 f		65 6061T6 RD TUBE 500 X 065W	125519	M6061T6T1.000W06 f	5 6061T6 RD TUBE 1.00 x .065w	125519 M6061T6T1 250W 1 - f	25 ALUM. RD TUBING f 1 250 x.125W	125519 M7075T73R1.000 7075-T73 Rd Bar	125586
	Project ID											
	Line Nbr/ Insp	Req ndor Nam	N.O.	c	No		er)	No	-	4 Š	s No	
• 1	Purchase Order ID/ Curr Type	endorID\Vendor Name	PO19756			***************************************						

0.0000

Total Reject Quantity:
Total Receipt Value:
Total Balance Due Quantity:

\$2,612.40



ORDER NO.: 80565432 FROM: CHIC PAGE 1

CUST NUMBER: 1203820 NET WGT:

11.138 REQ.DATE: 05/08/13 CONFIRMED

SOLD TO:

SHIP TO:

DART AEROSPACE LTD

DART AEROSPACE LTD 1270 ABERDEEN ST

1270 ABERDEEN ST HAWKSBURY ON

HAWKESBURY ON CANADA

CN K6A 1K7 ONTARIO CANADA

CN K6A 1K7

SALESPERSON:

05/03/13

TERMS:

DONNA SMALLEY SHIP BY:
NET 30 DAYS VIA:

COMMON CARRIER

F.O.B.:

SHIPPING POINT

FREIGHT: RELEASE NO.:

PREPAID

CUST ORD NO.: PO19756 IT 1

RECEIVING PHONE:

LENGTH

LINE ITEM DESCRIPTION

WIDTH

0001 41723 D6061-T6 5/16 OD X .058 WAT 12 FT ML QTY: 204.000 FT WT: 11.138 PC: 17 SHP: 204.000 FT

1 TEST REPORTS REQUIRED \*\* CLIB/05/105

\*\* 1 CERTS REQUIRED \*\*

Export License: MLR

Expiration Date: 0/00/00

ECCN: EAR99 PO:49271456 HT:551538 PC: 17 SLB/CL:336068

MLT:UNITED STATES MFG:UNITED STATES

----- PACK INFO -----

PRGS GRS WEIGHT WIDTH LENGTH HGHT 1.000 31.000 3.0000 150.0000 4

alistasis

AREA TYPE OF PKG YRC CRTN STRAP TO BOARD

1.000 31.000

BY: KB RT 000-

NADAD TYPE: NONE SPECIFIED

DATE SHIPPED

DATE FILLED

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE PRODUCTS ARE SET FORTH ON THE REVERSE SIDE FOR YOUR CAREFUL REVIEW.





ORDER NO.: 80565432

FROM: CHIC

PAGE 2

CUST NUMBER: 1203820 NET WGT:

SOLD TO:

DART AEROSPACE LTD 1270 ABERDEEN ST

HAWKESBURY ON CANADA

CN K6A 1K7

11.138 REQ.DATE: 05/08/13 CONFIRMED

SHIP TO:

DART AEROSPACE LTD 1270 ABERDEEN ST

HAWKSBURY ON

ONTARIO CANADA

CN K6A 1K7

SALESPERSON:

DONNA SMALLEY NET 30 DAYS

TERMS: F.O.B.:

SHIPPING POINT

CUST ORD NO.:

PO19756 IT 1 COMMON CARRIER

FREIGHT:

VIA:

RECEIVING PHONE:

RELEASE NO.:

SHIP BY:

05/03/13

235 TUBEWAY

CAROL STREAM

IL 60188

PREPAID

"TW Metals MSDS data is available on our web site at www.twmetals.com. MSDS data can be found under the Technical Resources Tab, Product Statistics & Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

### CERTIFICATE OF CONFORMANCE

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These records are on file at TW Metals. Packaging material for shipments to Europe and China consists of manufactured wood products and complies with the European emergency measures for coniferous non-manufactured wood packing material"

Electronically Generated Certificate-Valid without signature Date: 5/03/13

These commodities have been exported from the United States in accordance with the U.S. export control laws, export administrations regulations. Diversion contrary to U.S. law prohibited.

Control No: 153257



# **Precision Tube Company**

## A Mueller Industries Company

287 Wissahickon Avenue North Wales, Pennsylvania 19454 Phone: (215) 699-5801 - Fax: (215) 699-0761

Quality Management System Registered to ISO 9001: 2008 CERTIFICATION AND TEST REPORTS

	MERREUR	(01/A)3	Keltanietze	(0)	3360	IRUMO.		24	PREGISI 1A031250	580005	
SOLD TO	TW META SUITE 20 760 CONS EXTON, F	LS 4 STITUTI				SHII	235	TUBEWA OL STRE	AM, IL 60		
	3,000 FT	META	AL - 6061 /	NESORI ALUM	514(6)YEF			3,30	A Para de La Constitución de la	04	1/17/12
		SPEC LENC LGTI	PER - T6 C - AMS 40 AMS-WW- GTH - 12 F I TOL +.1 PE - ROUI SH - STRA	T-700/65 T 250 IN ND	0000 IN			13/60	1/12	FW S API	METALS P
	*	OD ID WAI	.3125 +.0	0030 - 9 0040 -	.0040						EPTED BYS
	1, 1, 8/1		TENSILE	Mark Bid	YIELD	71(e3.71±3.91£	FFAIROVING	• 1	ROCKWE HARDNE	LL	AVERAGE GRAIN SIZE
SAR	MPLE #	\$	TRENGTH (P.S.I)		STRENGTH (P.S.I.)		IN 2 INCHES				(MM.)
1		44	1,893		39,240		20				
Country	UROUS NI MICRO E y of Melt: U	XAMINA JSA ( Comp	TEST: ATION: Country of	_Canr⊚ Γ: PA	Certify Co	FAR B	FI VA <u>~</u> FAR		ST: sCo Complie	sC	tify Compliance annot Certify Comp
	EDD' ROSTATIC	<b>PRESS</b>	URE TES								
HYDF	EDD' ROSTATIC	PRESS	URE TES	₩.	skaloi:i=.M	(#7.( EXe(a),	ngesini	ONTO			
	EDD' ROSTATIC U	PRESS	URE TES	₩.		RAW M	ABILITY ATL VEN	#: 551 ID: pt19	ออด 9907 - Kai	ser Alumi	num
HYDF	EDD' ROSTATIC U	PRESS LTRAS(	URE TES	₩.	Mg 0.80	TRACE	ABILLLY	#: 551	ออด 9907 - Kai		num

etributes of the items furnished on this order. During the manufacturing meeting and inspection, the containing device employed a single boundary containment. 04/17/12

BY: Art Onaitis

KAISER ALUMINUM
MATERIAL CERTIFICATION
PRECISION TUBE CO
287 WISSAHICKON AVENUE
N. WALES, PA 19454



KAISER ALUMINUM FABRICATED PROCUCTS, LLC 2425 STEVENS DRIVE RICHLAND, WA 99352

PRECISION TUBE CO

PA 19454 PT19907

PURCHASE ORDER

03/09/12 DATE PRINTED

DATE PRINTED

SOLD TO

SPIRIT-371850

SOLD TO

PURCHASE ORDER

5.400 LB/PC .500 LB/-0 LB

1.312 OD X .085 WALL ESRT

CUSTOMER PART NUMBER DESCRIPTION

313609-001 RELEASE-ITEM 50751 200 LOT 6061-0 ALLOY/TEMPER BY BY BY APPROVE

### MECHANICAL PROPERTY RESULTS

	<u> </u>		and one	in 2"	HARDNESS	CONDUCT.	BEND
REFERENCE	SAMPLE# UTS (I		%Elong		NA N/A	N/A	N/A
50751 200	0001 001	17.2 5.1		28.0			N/A
		17.2 5.2		27.7	NA N/A	N/A	
50751 200	VVV			27.7	NA N/A	N/A	N/A
50751 200	<b>000</b>			27.0	NA N/A	N/A	N/A
50751 200	0002 000	17.3 5.0			NA N/A	N/A	N/A
50751 200	0001 005	18.0 5.5		26.7		N/A	N/A
50751 200	0001 006	17.2 10.7		27.0	NA N/A		N/A
	444 444	17.2 6.1		27.1	NA N/A	N/A	
50751 200		17.2 4.9		28.0	na n/a	N/A	N/A
50751 200	OOUR GOD			26.9	NA N/A	N/A	N/A
50751 200		17.7 5.3			NA N/A	N/A	N/A
50751 200	0001 010	17.1 5.3		26.8		N/A	N/A
50751 200		17.2 5.1		27.8	NA N/A		
	000- 0	17.0 5.1		28.9	NA N/A	N/A	N/A
50751 200	•••		i i	28.0	NA N/A	N/A	N/A
50751 200	0002 000				NA N/A	N/A	N/A
50751 200	0001 014	17.1 5.0		28.8		N/A	N/A
50751 200		17.2 5.5		26.2	NA N/A		
		16.8 5.2		28.3	NA N/A	N/A	N/A
50751 200				28.3	NA N/A	N/A	N/A
50751 200	0001 017	16.8 5.0					

### Applicable Requirements

ASTM-B241-10 ASTM-B221-08 ASTM-B345-11 AMS-QQ-A-200/8 TYPE 1 UNS#96061 Also conforms to EN 10204 3.1 Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file, subject to examination.

**Domestic Melt Source** 

General Mariager

Ron Walls

KAISER ALUMINUM MATERIAL CERTIFICATION PRECISION TUBE CO 287 WISSAHICKON AVENUE N. WALES, PA 19454



KAISER ALUMINUM FABRICATED PROCUCTS, LLC 2425 STEVENS DRIVE RICHLAND, WA 99352

PRECISION TUBE CO

N. WALES SOLD TO

PT19907

03/09/12 DATE PRINTED

DATE PRINTED

PURCHASE ORDER

SOLD TO

PURCHASE ORDER

5.400 LB/PC .500 LB/-0 LB

SPIRIT-371850 CUSTOMER PART NUMBER

1.312 OD X .085 WALL ESRT DESCRIPTION

313609-001

RELEASE-ITEM

50751 200 LOT

ALLOY/TEMPER

MECHANICAL PROPERTY RESULTS

REFERENCE 50751 200 50751 200 50751 200 50751 200 50751 200	0001 021 17. 0001 022 16.	8 5.2 6 5.2 1 5.4 7 4.6	%Elong in 2" 25.6 29.5 26.4 28.4 27.9	HARDNESS NA N/A NA N/A NA N/A NA N/A NA N/A	CONDUCT. N/A N/A N/A N/A N/A N/A N/A	BEND N/A N/A N/A N/A N/A
50751 200	0001 022 16.		28.4	NA N/A	N/A	N/A

	CHEMICAL	COMPOSITI	ON (WIE),	ALUMINUM RE	MATINDI	217		Ot!	hers
6061 LIMITS Maximum Minimum	Si Fe 0.80 0.70 0.40 0.00	0.40 0.15	1.20 0.35	Zn Ti 0.25 0.15 0.00 0.00	Pb NA NA	Bi NA NA		0.00	Tot .15 .0
			l l					Ot	hers
Cast No F69960 01 F69959 01 F70016 01	Si Fe .60 .35 .58 .32	.24 .05 .22 .06	1.01 .10 1.01 .09	.05 .02	Pb .00 .00	Bi .00 .00	.00 .00 .00	Ea .01 .01	.01 .02 .02

.26 .23 .06 .98 .05

Applicable Requirements:

ASTM-B241-10

ASTM-B221-08

ASTM-B345-11

AMS-QQ-A-200/8 TYPE 1

UNS#96061

Also conforms to EN 10204 3.1

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file, subject to examination.

.02

.05

**Domestic Melt Source** 

.59

General Manager

m Walh

.00

Ron Walls



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

### PURCHASE ORDER

### Purchase Order ID PO19756

Purchase Order Date 5/01/13 PO Print Date 5/01/13

Page Number 1 of 2

Order From:

TW METALS PO BOX 933014

ALTANTA, GA 31193-3014

US

Contact Name

**Vendor Phone** Vendor Fax

Vendor Account Nbr

585 768 5600

585 768 5601

Buyer

Requisition Nbr

Tax Resale Nbr Terms

Currency FOB

Net 30 USD

Destination-Collect

Chantal Lavoie

10127-2607

Ship Method

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN HAWKESBURY, ON K6A 1K7

VU-TWM001

Line Nbr Reference Revision ID Vendor Part Number

M6061T6T0.3125W.058

C&13/05/10

M6061T6T0.500W.065

Description/ Mfg ID

ALUM TUBE .3125 x

CANADA

.058w

5/08/13

Yes

Reg Date/

Taxable Unit of Measure

Yours ppd

, Nec 204/43/0/17

\$2,5000

**Unit Price** 

\$500.00

Extended

Price

Req Qty/

Special Inst;

Special Inst:

MATERIAL: 6061-T6 OR 6061-T62 TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-

200.00 Yours ppd

\$420.00

Yes

5/08/13

MATERIAL: 6061-T6 OR 6061-T62

TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-

225/8

M6061T6T1.000W065

6061T6 RD TUBE 1.00 x

6061T6 RD TUBE 500 X

.065W

.065w

5/08/13

\$225.00

Yes

1 Nec 128 /93/5/

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required - YES NO

Change Nbr:

aunge Date:

5/01/13



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

### **PURCHASE ORDER**

### Purchase Order ID PO19756

Purchase Order Date 5/01/13 PO Print Date 5/01/13

Page Number 2 of 2

Order From:

TW METALS PO BOX 933014 ALTANTA, GA 31193-3014

VU-TWM001

**Contact Name** 

Vendor Phone

585 768 5600

Vendor Fax

585 768 5601

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr **Terms** 

10127-2607 Net 30

Currency

**FOB** 

USD

Destination-Collect

M25578

Special Inst:

MATERIAL: 6061-T6 OR 6061-T62

TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-

225/8

M6061T6T1.250W.125

ALUM. RD TUBING 1.250 x.125W

5/08/13

200.00 Yours ppd

\$5.2500

\$1,050.00

Yes

Special Inst: MATERIAL: 6061-T6 OR 6061-T62

TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-

225/8

M7075T73R1.000

7075-T73 Rd Bar 1.00

5/08/13

Yes

48.00

Yours ppd

\$7.5000

\$360.00

Special Inst:

MATERIAL: 7075-T73 OR 7570-

T7351/T73510/T73511 ROUND BAR AS PER AMS-QQ-A-200/I OR AMS-QQ-A-

225/9

PO Total:

\$2,555.00

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required **YES** 

1

Change Nbr:

Change Date:

5/01/13